

# INDEX MAPS.

## T. 9N, R. 2E. 2<sup>nd</sup> Mer.

	320		320		319		319		319		318	
323	6	327	5	332	4	336	3	340	2	346	1	318
	<del>327</del>		<del>331</del>		<del>336</del>		<del>340</del>		<del>345</del>		<del>346</del>	
322	7	326	8	331	9	335	10	339	11	345	12	318
	<del>326</del>		<del>330</del>		<del>335</del>		<del>339</del>		<del>344</del>		<del>345</del>	
322	18	326	17	330	16	334	15	339	14	344	13	318
	<del>325</del>		<del>330</del>		<del>334</del>		<del>338</del>		<del>343</del>		<del>344</del>	
322	19	325	20	329	21	334	22	338	23	343	24	317
	<del>324</del>		<del>329</del>		<del>333</del>		<del>338</del>		<del>342</del>		<del>342</del>	
321	30	324	29	329	28	333	27	337	26	342	25	317
	<del>324</del>		<del>328</del>		<del>332</del>		<del>337</del>		<del>341</del>		<del>341</del>	
321	31	323	32	328	33	332	34	336	35	341	36	317
	<del>315</del>		<del>315</del>		<del>315</del>		<del>316</del>		<del>316</del>		<del>316</del>	

## T. 10N, R. 2E. 2<sup>nd</sup> Mer.

	354		354		354		354		353		353	
356	6	381	5	374	4	370	3	365	2	361	1	352
	381		380		374		369		365		360	
356	7	380	8	373	9	369	10	364	11	360	12	352
	379		379		373		368		364		360	
356	18	379	17	373	16	368	15	364	14	359	13	352
	378		378		372		368		363		359	
355	19	377	20	372	21	367	22	363	23	358	24	351
	377		376		371		367		362		358	
355	30	376	29	371	28	366	27	362	26	358	25	351
	376		375		370		366		362		357	
355	31	375	32	370	33	366	34	361	35	357	36	351
	350		360		349		349		349		349	

[P] The figures on the lines refer to the page.

315

Township N. 9 North, Range N. 2 East 2. Mer. Indiana

### South Boundary

East On S. boundary of Sec. 31, T9N, R2E.

13.00 at Brook 100 yds. wide W. S. E.

40.00 at the q. Sec. post, from which

a Beech 26 in. dia. bray N10 E 12 lks. dist. of

a Sugar 16 " " " N40 E 40 " "

45.00 a Creek 200 yds. wide W. S.

80.00 at a post Cor. to Sec. 31 of 32, from which

a W. Oak 16 in. dia. bray S60 E 3 lks. dist. of

a Beech 14 " " " N80 W 25 " "

Poor hilly land timber Oak &c

---

East On S. boundary of Sect 32, T9N, R2E.

7.16 to a Sugar 13 in. dia. on the boundary, from

which a Sugar 14 in. dia. bray N54 W 14 lks. dist. of

a Beech 11 " " " S35 W 15 " "

40.00 at the q. Sec. post, from which

a Hickory 15 in. dia. bray North 21 lks. dist. of

a Do 17 " " " N12 E 32 " "

80.00 at a post Cor. to Sec. 32 of 33, from which

a W. Oak 30 in. dia. bray N85 W 60 lks. dist. of

a Do 20 " " " N85 E 52 " "

Over rolling land timber Beech & Oak, including  
Dogwood, Greenbrier, &c.

---

East On S. boundary of Sec. 33, T9N, R2E.

40.00 at the q. Sec. post, from which

a Poplar 8 in. dia. bray N46 E 21 lks. dist. of

a Gum 10 " " " N1 W 20 " "

80.00 at a post Cor. to Sec. 33 of 34, from which

a W. Oak 48 in. dia. bray N28 W 4 lks. dist. of

a Beech 13 " " " S4 E 44 " "

Over broken land, timber, Oak, hickory, Beech



T9 N R2 E. 2<sup>d</sup>. Mer. IndianaHe. undng<sup>th</sup>. Oak, Dogwood &c.

---

East On S. boundary of Sec. 34, T9 N. R2 E.

3.18 a Branch 10 lks. wide Cr. S. M.

34.58 a Spring branch 6 lks. wide Cr. S. M.

40.00 Let the q. Sec. post, from which

a W. Oak 36 in. dia. bray N 87 W 45 lks. dist. of

a Do 14 " " " N 78 E 14 " "

80.00 Let a post Cor. to Sec. 34 of 35, from which

a Chest. Oak 12 in. dia. bray N 35 E 60 lks. dist. of

a Do 16 " " " N 82 W 13 " "

This line is over broken land, timber Oak and  
Hick<sup>y</sup>, undng<sup>th</sup>. the same, stony Soil

---

East On S. boundary of Sec. 35, T9 N. R2 E.

19.28 a Branch 8 lks. wide Cr. S. M.

40.00 Let the q. Sec. post, from which

a W. Oak 6 in. dia. bray N 42 W 29 lks. dist. of

a Do 12 " " " N 86 E 31 " "

40.28 a Branch 8 lks. wide Cr. South

80.00 Let a post, Cor. to Sec. 35 of 36, from which

a W. Oak 8 in. dia. bray N 13 W 39 lks. dist. of

a Do 8 " " " N 8 E 28 " "

This mile is over broken brushy stony hill,  
timber Oak & hickory, undng<sup>th</sup>. the same.

---

East On S. boundary of Sec. 36, T9 N. R2 E.33.68 (supposed distance) to the S. E. Cor. of T9 N.  
Range 2 E. from which

a B. Sack 6 in. dia. bray N 43 W 34 lks. dist. of

a Do 6 " " " N 70 E 11 " "

June 2<sup>d</sup>. 1819

---

Surveyed by John McDonald, U. S.

T9N-R2E, 2<sup>d</sup> Mer. Indiana

## East Boundary var. 6.45'E.

- North On E. boundary of Sec. 36, T9N-R2E.  
 40.00 Let the g. Sec. post, from which  
 a Beech 9 in. dia. bran S 7 E 29 lks. dist. of  
 a Hickory 9 " " " N 34 W 11 " "  
 75.50 a Brook 15 lks. wide Cr. S. W.  
 80.00 Let a post Cor. to Sect. 25 & 36, from which  
 a W. Oak 18 in. dia. bran S 45 W 9 lks. dist. of  
 a Ho 18 " " " N 6 E 40 " "  
 Over broken land, timber Oak &c.
- 

- North On E. boundary of Sec. 25, T9N-R2E.  
 34.90 a Brook 15 lks. wide Cr. S. W.  
 40.00 Let the g. Sec. post, from which  
 a Beech 12 in. dia. bran S 5 E 8 lks. dist. of  
 a W. Oak 20 " " " S 31 W 29 " "  
 69.70 a Brook 10 lks. wide Cr. —  
 80.00 Let a post Cor. to Sect. 24 & 25, from which  
 a Hickory 12 in. dia. bran S 32 W 18 lks. dist. of  
 a Beech 10 " " " N 39 E 28 " "  
 Over very broken land, timber Oak &c.
- 

- North On East boundary of Sec. 24, T9N-R2E.  
 18.70 a Creek 125 lks. wide Cr. S. W.  
 22.50 Same 125 " " S. E.  
 40.00 Let the g. Sec. post, from which  
 a Beech 7 in. dia. bran S 7 W 3 lks. dist. of  
 a Sugar 6 " " " S 60 E 4 " "  
 46.50 a Creek 150 lks. wide Cr. S. W.  
 80.00 Let a post Cor. to Sect. 13 & 24, from which  
 a W. Oak 8 in. dia. bran S 35 E 12 lks. dist. of  
 a Ho 9 " " " N 42 W 5 " "  
 Over Creek bottom, timber Oak &c.
-

T9 N. R2 E. 2<sup>d</sup> Mer. Indiana

North On E. boundary of Sec. 13, T9 N. R2 E.

40.00 Set the q. Sec. post, from which

a W. Oak 13 in. dia. bran S7W25 lbs. dist. of  
an Ironwood. 6 " " " S75W10 " "

80.00 Set a post Cor. to Sec. 12 & 13, from which

a Beech 10 in. dia. bran S38E24 lbs. dist. of  
a B. Oak 8 " " " N4W15 " "

Over broken brushy land.

North On E. boundary of Sec. 12, T9 N. R2 E.

40.00 Set the q. Sec. post, from which

a Beech 9 in. dia. bran S15E9 lbs. dist. of  
a W. Oak 24 " " " S16W7 " "

80.00 Set a post Cor. to Sec. 11 & 12, from which

a Gum 18 in. dia. bran S17E6 lbs. dist.  
a Sugar 10 " " " N72W20 " "

Over broken land, timber Oak &c.

North On E. boundary of Sec. 1, T9 N. R2 E.

40.00 Set the q. Sec. post, from which

a Sugar 12 in. dia. bran S83E10 lbs. dist. of  
an Ironwood- " " " S82W11 " "

68.50 a Brook 10 lbs. wide Cr. S.E.

70.24 Set a post Cor. to Township N: 9 & 10 N. Range  
2 & 3 East, from which

a Beech 8 in. dia. bran N57E10 lbs. dist. of  
a Do 8 " " " S56W6 " "

Over broken land, timber Oak &c.

June 27<sup>th</sup> 1819

## North Boundary

West On the S. boundary, of Sec. 36, T10 N. R2 E.

40.00 Set the q. Sec. post, from which

T9 N R2 E. 2<sup>d</sup>. Mer. Indiana

- a Beech 12 in. diam. beam S74 E 17 lks. dist. of  
 a Do 9 " " " N33 E 20 " "  
 47.34 a W. Oak 18 " " "  
 80.00 Let a post cor. to Sec. 35 & 36, T10 N. R2 E, from which  
 a Sugar 12 in. diam. beam S77 E 3 lks. dist. of  
 a Beech 7 " " " S66 W 9 " "  
 Over broken land, timber Beech, Oak &c.

- West On S. boundary of Sec. 35, T10 N. R2 E.  
 40.00 Let the q. Sec. post, from which  
 a Hickory 24 in. diam. beam S51 E 24 lks. dist. of  
 a Beech 14 " " " S44 W 20 " "  
 64.32 a Beech 20 " " in the line  
 80.00 Let a post cor. to Sec. 34 & 35, T10 N. R2 E, from which  
 an Oak 14 in. diam. beam N47 W 13 lks. dist. of  
 a Do 10 " " " S73 E 37 " "  
 Over broken bushy land, timber Oak, Beech &c.

- West On S. boundary of Sec. 34, T10 N. R2 E.  
 39.50 a Brook 10 lks. wide C.P. N. E.  
 40.00 Let the q. Sec. post, from which  
 a Sugar 8 in. diam. beam N52 E 3 lks. dist. of  
 a Do 6 " " " N73 W 23 " "  
 59.78 a B. Oak 24 " " in the line  
 80.00 Let a post cor. to Sec. 33 & 34, T10 N. R2 E, from which  
 a Hickory 10 in. diam. beam S3 W 12 lks. dist. of  
 a Beech 14 " " " N53 W 10 " "  
 Land timber &c. same as on the last mile

- West On S. boundary of Sec. 33, T10 N. R2 E.  
 15.00 a W. Oak 24 in. diam. in the line  
 18.59 a Brook 4 lks. wide S.W.  
 40.00 Let the q. Sec. post, from which



T9N R2E, 2<sup>d</sup> Mer. Indiana

an Ironwood 8 in. diam. bran S 82 E 21 lks. dist. of  
 a Sugar 9 " " " S 87 W 24 " "  
 62.60 Maple 12 in. diam. in the line  
 68.00 a Brook 7 lks. wide Cr. S.W.  
 80.00 Set a post cor. to Sec. 32 of 33, T10N. R2E, from which  
 a Sugar 13 in. diam. bran N 70 E 13 lks. dist. of  
 a Gum 16 " " " S 4 E 7 " "  
 Over rolling land, timber Oak &c.

West On S. boundary of Sec. 32, T10N. R2E.  
 36.00 a Beech 14 in. diam. in the line  
 40.00 Set the q. Sec. post, from which  
 a Walnut 20 in. diam. bran S 75 E 45 lks. dist. of  
 a Beech 20 " " " N 62 W 10 " "  
 45.40 a Creek 50 lks. wide Cr. North  
 60.14 a W. Oak 18 in. diam. in the line  
 80.00 Set a post cor. to Sec. 31 of 32, T10N. R2E, from which  
 a Gum 20 in. diam. bran N 26 W 4 lks. dist. of  
 an Oak 14 " " " S 75 E 18 " "  
 Over rolling land, timber Beech, Oak &c.

West On S. boundary of Sec. 31, T10N. R2E.  
 14.70 a Beech 18 in. diam. in the line  
 40.00 Set the q. Sec. post, from which  
 a W. Oak 14 in. diam. bran S 22 W 8 lks. dist. of  
 a Beech 13 " " " N 75 E 27 " "  
 54.09 a Gum 24 " " in the line  
 62.50 a Brook 7 lks. wide Cr. N.W.  
 69.70 Intersected the N. & S. line, between Range 1 of  
 2 E. Set a post cor. to Towns 9 & 10 N. Range  
 1 of 2 E, from which  
 a Sugar 12 in. diam. bran N 15 W 13 lks. dist. of  
 a Beech 12 " " " S 24 E 32 " "



T9 N. R2 E. 2<sup>d</sup>. Mer. IndianaJune 23<sup>d</sup>. 1819

Surveyed by John McDonald, d. S.

Comp.

West Boundary March 30<sup>th</sup>. 1811

- North On E. boundary of Sec. 36, T9 N. R1 E.  
 38.50 a Brook 8<sup>th</sup>. wide Cr. E.  
 40.00 Set the q. Sec. post, from which  
 a Sugar 3 in. dia. bran N55 E 5<sup>th</sup>. dist. of  
 a Beech 4 " " " S71 W7 " "  
 43.00 a Brook 10<sup>th</sup>. wide Cr. S. E.  
 57.00 a W. Oak 14 in. dia. in the line  
 66.50 Set a post on the boundary line from which  
 a Sugar 18 in. dia. bran S30 W25<sup>th</sup>. dist. of  
 a Do 11 " " " S85 E30 " "  
 Surveyed by Alexander Holmes, Dep. Surveyor  
 80.00 (13.50) Set a post Cor. to Sec. 25 & 36, T9 N. R1 E, from which  
 an Elm 11 in. dia. bran S54 W7<sup>th</sup>. dist. of  
 a Beech 14 " " " N35 E33 " "  
 Poor hilly Oak land.

- North On E. boundary of Sec. 25, T9 N. R1 E. or. 7<sup>th</sup>. 10' E.  
 5.00 a Brook 6<sup>th</sup>. wide run E.  
 8.50 a Do 8<sup>th</sup>. " " S40 E.  
 10.50 a W. Oak 16 in. dia. bran  
 40.00 Set the q. Sec post, from which  
 a Hickory 8 in. dia. bran N68 E 10<sup>th</sup>. dist. of  
 a W. Oak 32 " " " S78 W30 " "  
 59.86 a Sugar 7 in. dia.  
 60.30 a Brook 10<sup>th</sup>. wide Cr. S. E.  
 80.00 Set a post Cor. to Sec. 24 & 25, T9 N. R1 E, from which  
 a Gum 11 in. dia. bran N65 W30<sup>th</sup>. dist. of  
 a Do 16 " " " S85 E27 " "  
 Land hilly & poor, timber W. & B. Oak, Beech & Gum.

T9 N. R2 E, 2<sup>n</sup>. Mer Indianaunder<sup>th</sup> W. Oak, Dogwood & Ironwood

North On E. boundary of Sec. 24, T9 N. R1 E.

14.60 a Brook 10<sup>th</sup> wide Cr. E.

36.20 a Beech 18 in. dia. in the line

40.00 Set the q. Sec. post from which

a Sugar 18 in. dia. bear S 72 E 5<sup>th</sup> dist. of

a W. Oak 48 " " " S 80 W 46 " "

47.25 a Brook 12<sup>th</sup> wide Cr. S 60 E.

61.50 a B. Oak 12 in. dia. in the line

80.00 Set a post Cor. to Sec. 13 &amp; 24, T9 N. R1 E, from which

a W. Oak 20 in. dia. bear S 23 E 15<sup>th</sup> dist. of

a Hickory 10 " " " S 87 W 15 " "

Land hilly & poor, W. B. Oak Hickory & Poplar  
under<sup>th</sup> Dogwood & Ironwood

North On E. boundary of Sec. 13, T9 N. R1 E.

10.50 a Brook 10<sup>th</sup> wide Cr. S 40 E

22.50 a W. Oak 13 in. dia.

40.00 Set the q. Sec. post, from which

a Hickory 12 in. dia. bear N 75 W 31<sup>th</sup> dist. of

a Dogwood 5 " " " S 88 E 19 " "

54.00 a Chestnut Oak 18 in. dia.

80.00 Set a post Cor. to Sec. 12 &amp; 13, T9 N. R1 E, from which

a W. Oak 12 in. dia. bear S 77 1/2 W 30<sup>th</sup> dist. of

a Do 8 " " " S 6 W 29 " "

Land hilly & poor, timber W. B. Chestnut Oak & Hickory  
under<sup>th</sup> W. Oak, Ironwood & Sassafras

North On E. boundary of Sec. 12, T9 N. R1 E.

19.07 a W. Oak 18 in. dia.

40.00 Set the q. Sec. post, from which

a B. Oak 7 in. dia. bear N 4 W 11<sup>th</sup> dist. of

T9 N. R2 E. 2<sup>d</sup>. Mer. Indiana

- a W. Oak 6 in. dia. bran S23 E 24 lks. dist. of  
 71.55 a Chestnut 20 " "  
 80.00 Set a post Cor. to Sec. 1 of 12, T9 N. R1 E., from which  
 a Beech 12 in. dia. bran S75 W 26 lks. dist. of  
 a W. Oak 14 " " " N83 E 15 " "  
 Land timber the same as on the last mile

- North On the E. boundary of Sec. 1, T9 N. R1 E.  
 18.00 a Sugar 11 in. dia. in the line  
 40.00 Set the q. Sec. post, from which  
 a W. Oak 10 in. dia. bran S21 W 62 lks. dist. of  
 a Hickory 12 " " " N37 W 19 " "  
 54.16 a Beech 12 " " in the line  
 67.00 Intersected the Town line 28.50 lks. E. of post Cor.  
 to Town 10 N. Range 1 of 2 E. Set a post, from which  
 a W. Oak 15 in. dia. bran S30 W 26 lks. dist. of  
 a Hickory 7 " " " N32 E 28 " "

December 7<sup>th</sup> 1819

Surveyed by James A. Hedges, Dep. Sur.

Subdivision. Feb. 28<sup>th</sup> 1820

- North Between Sec. 31 of 32, T9 N. R2 E.  
 5.50 Old boundary line  
 11.00 a Stream 130 lks. wide Cr. S85 W  
 25.15 a Beech 14 in. dia.  
 33.00 a Brook 6 lks. wide S80 W  
 38.00 a Salt Spring 23 ch. of 79 lks. West  
 40.00 Set the q. Sec. post, from which  
 a W. Oak 18 in. dia. bran S69 W 21 lks. dist. of  
 a Do 24 " " " S78 E 24 " "  
 67.30 a Beech 5 " "  
 80.00 Set a post Cor. to Sec. 29, 30, 31 of 32, from which  
 a W. Oak 24 in. dia. bran N88 E 30 lks. dist. of

T9 N. R 2 E. 2<sup>nd</sup> Mer. Indiana

a Beech 6 in. dia. beam S 75 N 11 km. dist.  
 Sand hilly & poor, timber W. Oak & Beech  
 underg<sup>th</sup>. Dogwood & Ironwood.

West Between Secs. 30 & 31, On Random  
 25.50 a Brook 30 km. wide Cr. S 30 W  
 40.00 Set temp<sup>ly</sup>. q. Sec. post  
 73.00 a Brook 6 km. wide Cr. S 80 E.  
 78.75 Intersected the N. boundary 270 km. N. of cor.  
 Sand timber &c. same as on the last mile

East On true line between Secs. 30 & 31, T9 N. R 2 E.  
 39.37 1/2 Set q. Sec. post at average dist. from which  
 a W. Oak 16 in. dia. beam N 24 W 47 km. dist. &  
 a R. Oak 24 " " " S 43 1/2 E 55 " "  
 78.75 to Sec. Corner.

North Between Secs. 29 & 30, T9 N. R 2 E.  
 12.60 a Hickory 11 in. dia. in the line  
 40.00 Set the q. Sec. post, from which  
 a W. Oak 8 in. dia. beam S 69 E 27 km. dist. &  
 a Beech 10 " " " N 23 W 23 " "  
 58.00 a W. Oak 28 " "  
 80.00 Set a post cor. to Secs. 19, 20, 29 & 30, from which  
 a Beech 24 in. dia. beam S 42 E 15 km. dist. &  
 a Do 13 " " " N 39 W 27 " "  
 Sand very hilly & poor, timber W & R. Oak & hick.  
 underg<sup>th</sup> W. Oak, Ironwood & Bassafras

West On Random between Secs. 19 & 30, T9 N. R 2 E.  
 19.50 a Brook 10 km. wide Cr. S 50 W.  
 40.00 Set temp<sup>ly</sup>. q. Sec. post  
 58.50 a Brook 25 km. wide Cr. South



T9N R2E, 2<sup>d</sup> Mer. Indiana

79.00 Intersected the N. boundary 7 1/2 hrs. S. of Corner  
Land hilly & poor, timber W. Oak, Hickory & beech,  
underg<sup>d</sup>. Dogwood & Ironwood

East On true line between Sec. 19 & 30, T9N. R2E.

39.50 Set the q. Sec. post at average dist. from which  
a W. Oak 13 in. dia. tr. 152 W 30 lbs. dist. of  
a No 10 " " " N 37 E 22 " "

79.00 to Sec. Corner

North Between Sec. 19 & 20, T9N. R2E. 2<sup>d</sup> Mer.

15.00 a Beech 12 in. dia. in the line

16.00 a Brook 10 lbs. wide C. S. 160 W

40.00 Set the q. Sec. post, from which  
a Hickory 15 in. dia. tr. 148 E 31 lbs. dist. of  
a W. Oak 26 " " " N 59 W 39 " "

59.00 a Beech 11 " " in the line

80.00 Set a post cor. to Sec. 17, 18, 19 & 20, from which  
a W. Oak 13 in. dia. tr. 160 E 45 lbs. dist. of  
a W. Oak 13 " " " N 82 W 23 " "

Land very hilly & poor, timber W & W. Oak &  
Hickory, underg<sup>d</sup>. Ironwood, W. Oak & Sassafras

West On Random between Sec. 18 & 19, T9N. R2E.

40.00 Set temp. q. Sec. post

50.30 a Brook 20 lbs. wide runng South

68.75 a No 6 " " " 160 E.

79.70 Intersected the N. boundary 9 1/2 hrs. S. of Corner  
Land hilly & poor, timber W. Oak, Hickory, beech,  
& Gum, underg<sup>d</sup>. Dogwood & Ironwood

East On true line between Sec. 18 & 19, T9N. R2E.

39.85 Set the q. Sec. post at average dist. from which



T9N R2E. 2<sup>d</sup>. Mer. Indiana

a W. Oak 12 mi. dist. bear S 33 W 38 lks. dist. of  
 a Hickory 8 " " " N 67 W 39 " "  
 79.70 to Sec. Corner. Feb. 29<sup>th</sup> 1820

North Between Secs. 17 & 18, T9N. R2E.  
 26.00 a Beech 10 mi. dist. in the line  
 40.00 Let the qt. Sec. post, from which  
 a Sugar 7 mi. dist. bear N 52 E 24 lks. dist. of  
 a Do 12 " " " S 72 W 40 " "  
 48.20 a Poplar 22 " " in the line  
 65.70 a Brook 8 lks. wide C. S. S 70 W  
 80.00 Let a post Cor. to Secs. 7, 8, 17 & 18, from which  
 a P. Oak 10 mi. dist. bear N 33 W 42 lks. dist. of  
 a W. Oak 13 " " " S 2 E 29 " "  
 Land very hilly, poor & stony, timber W. P. Oak,  
 & Hickory, underg<sup>th</sup> W. Oak, Ironw. & Sassafras

West On Random between Secs. 7 & 18, T9N. R2E.  
 7.00 a Brook 12 lks. wide C. S. S 60 W  
 35.75 a Do 8 lks. " " South  
 40.00 Let temp<sup>y</sup>. qt. Sec. post  
 60.50 a Brook 10 lks. wide C. S. S 5 E.  
 79.90 Intersected the N. boundary 72 lks. S. of Corner  
 Land hilly, poor & stony, timber W. & Chestnut Oak  
 thick<sup>y</sup>. underg<sup>th</sup> W. Oak, Ironwood & Logwood

East On true line between Secs. 7 & 18, T9N. R2E.  
 39.95 Let qt. Sec. post at average dist. from which  
 a W. Oak 13 mi. dist. bear N 69 W 24 lks. dist. of  
 a Beech 9 " " " S 87 E 57 " "  
 79.70 to Sec. Corner.

North Between Secs. 7 & 8, T9N. R2E. 2<sup>d</sup>. Mer.

T9 N R2 E, 2<sup>d</sup> Mer. Indiana

- 5.50 a Brook 12 lks. wide Cr. S60 W  
 40.00 Set the q. Sec. post, from which  
     a W. Oak 15 in. dia. bran S31 W 76 lks. dist. of  
     a Gum 9 " " " N1 W 71 " "  
 51.20 a W. Oak 17 " " in the line  
 80.00 Set a post Cor. to Sec. 5, 6, 7 & 8, from which  
     a Gum 24 in. dia. bran South 38 lks. dist. of  
     a Beech 14 " " " N27 W 10 " "  
 Sand timber &c. same as on the last mile

- West On Random between Sec. 6 & 7, T9 N. R2 E.  
 18.30 a Brook 6 lks. wide Cr. North.  
 20.50 a Slo 6 " " " N20 E.  
 40.00 Set temp. q. Sec. post  
 80.00 Intersected the W. boundary 28 lks. N. of Corner  
 Land hilly & poor, timber W & B. Oak & Hickory  
 underg. W. Oak, Ironwood & Sassafras

- East On true line between Sec. 6 & 7, T9 N. R2 E.  
 40.00 Set q. Sec. post at average dist. from which  
     a Gum 16 in. dia. bran N38 E 30 lks. dist. of  
     a Beech 12 " " " S5 W 15 " "  
 80.00 to Sec. Corner

- North Between Sec. 5 & 6, T9 N. R2 E.  
 11.60 a W. Oak 26 in. dia. in the line  
 24.50 a Brook 10 lks. wide Cr. N8 E  
 40.00 Set the q. Sec. post, from which  
     a Sugar 6 in. dia. bran S75 E 24 lks. dist. of  
     a W. Oak 25 " " " West 26 " "  
 56.80 a Brook 20 lks. wide Cr. N5 W  
 64.30 a W. Oak 8 in. dia. in the line  
 66.86 Intersected the N. boundary 21 lks. E. of q. Sec.

T9 N. R 2 E. 2<sup>nd</sup> Mer. Indiana

post; Set a post Cor. to Sec. 5 & 6, from which  
 a Beech 14 in. dia. bran N 60° W 27 lbs. dist. of  
 a do 5 " " " N 80° E 28 " "  
 Land uneven & 2<sup>nd</sup> rate, timber W. Oak, Sugar &  
 Beech, undug<sup>st</sup> Spice & Ironwood.

March 1<sup>st</sup> 1820

North Between Sec. 32 &amp; 33, T9 N. R 2 E.

11.85 a W. Oak 30 in. dia. in the line

32.80 a Brook 6 lbs. wide Cor. N 40° W

40.00 Set the q. Sec. post, from which

a Beech 11 in. dia. bran N 5° W 25 lbs. dist. of

a Hickory 5 " " " N 32° E 13 " "

54.18 a Beech 11 " " in the line

64.00 a Stream 130 lbs. wide Cor. N 70° W.

80.00 Set a post Cor. to Sec. 28, 29, 32 &amp; 33, from which

a Beech 14 in. dia. bran N 51° W 20 lbs. dist. of

a Gum 17 " " " N 73° E 40 " "

Land level & wet, timber W. Oak, Sugar & Beech  
 undergrowth Spice &c.

West Out Random between Sec. 29 &amp; 32, T9 N. R 2 E.

27.00 a Brook 8 lbs. wide Cor. N 70° W

29.00 a do 10 lbs. " " N 5° E

40.00 Set temp. q. Sec. post

80.00 Intersected the N &amp; S. line 162 lbs. S. of the Cor.

Land hilly &amp; poor, timber W. Oak &amp; Hickory

undergrowth W. Oak &amp; Ironwood

East On true line between Sec. 29 &amp; 32, T9 N. R 2 E.

40.00 Set q. Sec. post at average dist. from which

a Hickory 15 in. dia. bran N 21° W 26 lbs. dist. of

a Beech 8 " " " N 4° E 34 " "

327

T9 N R2 E, 2<sup>d</sup> Mer. Indiana

80.00 to Sec. Corner

North Between Secs. 28 & 29, T9 N. R2 E.

18.65 a W. Oak 12 in. dia. in the line

40.00 Set the q. Sec. post, from which

a W. Oak 30 in. dia. bran S 27° 50' W. dist. of

a do 18 " " " N 17° 60' " "

54.00 a Brook 8 lks. wide E. S. 45 E.

64.90 a W. Oak 12 in. dia. in the line

80.00 Set a post Cor. to Secs. 20, 21, 28 & 29, from which

a W. Oak 28 in. dia. bran S 27° 45' W. dist. of

a W. Oak 18 " " " N 23 E 39 " "

Land poor & hilly & thickety, timber W. Oak & thick.  
underg<sup>d</sup>. Ironwood, Hologwood & Glassy

West On Random between Secs. 20 & 29, T9 N. R2 E.

20.00 a Brook 6 lks. wide S 10 E.

40.00 Set temp. q. Sec. post

80.00 Intersected the N. S. line 72 lks. N. of corner.

Land hilly & poor, timber W. Oak, Chest. Oak, thick.  
& Beech, underg<sup>d</sup>. W. Oak, Ironw. & Hologwood

East On true line between Secs. 20 & 29, T9 N. R2 E.

40.00 Set q. Sec. post at average dist. from which

a W. Oak 14 in. dia. bran S 80 E 10 lks. dist. of

a Chest. Oak 14 " " " N 60° 40' " "

80.00 to Sec. Corner.

North Between Secs. 20 & 21, T9 N. R2 E

6.00 a Brook 8 lks. wide S 50 E

13.50 a W. Oak 15 in. dia. in the line

40.00 Set the q. Sec. post, from which

a W. Oak 10 in. dia. bran S 82 E 25 lks. dist. of



T9 N. R2 E. 2<sup>d</sup>. Mer. Indiana

a Hickory 14 mi. dist. from S65<sup>th</sup> W 21<sup>th</sup> N. dist. of  
 70.00 a W. Oak 13 " " in the line  
 80.00 Set a post Cor. to Sec. 16, 17, 20 & 21, from which  
 a W. Oak 17 mi. dist. from N31<sup>th</sup> W 46<sup>th</sup> N. dist. of  
 a Do 14 " " " S2<sup>th</sup> W 26 " "  
 Land very hilly, poor & stony, timber W & Choc. Oak  
 & Hickory, under<sup>g</sup>. W. Oak, hickory, Ironwood & Sassafras

West On Rand. between Sec. 17 & 20, T9 N. R2 E.  
 40.00 Set temp. q. Sec. post  
 80.00 Intersected the N & S line 60<sup>th</sup> N. of the Corner  
 Land timber &c. same as on the last mile

East On true line between Sec. 17 & 20, T9 N. R2 E.  
 40.00 Set the q. Sec. post at average dist. from which  
 a Hickory 11 mi. dist. from N50<sup>th</sup> W 27<sup>th</sup> N. dist. of  
 a Do 12 " " " S12<sup>th</sup> E 10 " "  
 80.00 to Sec. Corner. March 2<sup>d</sup>. 1820.

North Between Sec. 16 & 17, T9 N. R2 E.  
 15.75 a Lynn 26 mi. dist. from  
 23.86 a Brook 10<sup>th</sup> N. wide S20<sup>th</sup> E.  
 40.00 Set the q. Sec. post, from which  
 a W. Oak 12 mi. dist. from S10<sup>th</sup> W 10<sup>th</sup> N. dist. of  
 a Do 11 " " " N46<sup>th</sup> W 8 " "  
 60.80 a R. Oak 30 " " in the line  
 80.00 Set a post Cor. to Sec. 8, 9, 16 & 17, from which  
 a W. Oak 11 mi. dist. from S9<sup>th</sup> E 28<sup>th</sup> N. dist. of  
 a Sugar 10 " " " N26<sup>th</sup> W 12 " "  
 Land hilly & poor, timber W & C. Oak & Hickory,  
 under<sup>g</sup>. W. Oak, hickory, Dogwood, Ironwood & Sassafras

West On Random between Sec. 8 & 17, T9 N. R2 E.



T9N R2E, 2<sup>d</sup> Mer. Indiana

40.00 Let tempf. q. Sec. post

80.00 Intersected the N & S. line 93 lbs. N. of Corner.  
Land hilly & poor. Stony, timber W. & Ch. Oak,  
& Hickory, under " W. Oak, hick. & Ironwood

East On true line between Sec. 8 &amp; 17, T9N R2E

40.00 Let q. Sec. post at average dist. from which  
a Mock 20 in. dia. bear N 30 E 32 lbs. dist. of  
a Sugar 9 " " " S 11 W 13 " "

80.00 to Sec. Corner.

North Between Sec. 8 &amp; 9, T9N R2E.

21.42 a W. Oak 8 in. dia. on the line

40.00 Let the q. Sec. post, from which  
a Dogwood 6 in. dia. bear S 62 E 4 lbs. dist. of  
a W. Oak 12 " " " S 88 W 54 " "

51.83 a Chest. Oak 11 " " in the line

70.00 a Brook 12 lbs. wide S 35 W.

80.00 Let a post cor. to Sec. 8, 9, 4 & 5, from which  
a Beech 8 in. dia. bear S 29 W 23 lbs. dist. of  
a Ho 14 " " " North 14 " "  
Land hilly & poor, timber W. & Ch. Oak & Hickory  
under " W. Oak, Ironw. & Sassafras

West On Randow between Sec. 5 &amp; 8, T9N R2E.

4.20 a Brook 12 lbs. wide N 35 W.

40.00 Let tempf. q. Sec. post

59.80 a Brook 10 lbs. wide S 40 W

80.00 Intersected the N & S. line 24 lbs. N. of Corner  
Land timber &c. same as on the last mile

East On true line between Sec. 5 &amp; 8, T9N R2E.

40.00 Let q. Sec. post at av. dist. from which

T9 N. R2 E. 2<sup>d</sup>. Mer. Indiana

a W. Oak 8 in. dia. brang S56 E 94 lbs. dist. of  
 a Do 13 " " " N29 W11 " "  
 80.00 to Sec. Corner.

North Between Secs. 4 & 5, T9 N. R2 E.

19.20 a Sugar 12 in. dia. in the line  
 40.00 A Sugar 6 in. dia. marked for  
 the q<sup>r</sup>. Sec. Corner, from which  
 a Gum 9 in. dia. brang N17 W41 lbs. dist. of  
 47.30 a Brook 15 lbs. wide Cr. West  
 53.20 a W. Oak 18 " " in the line  
 65.00 Intersected the N. boundary 21 lbs. E. of q<sup>r</sup>. Sec.  
 post at the South side of Sec. 33. T9 N. R2 E.  
 Set a post Cor. Secs. 4 & 5, from which  
 a Beech 6 in. dia. brang N26 E37 lbs. dist. of  
 an Elm 14 " " " S29 W13 " "  
 Land hilly & poor timber W. Oak, Chest. Oak &  
 Hickory, underg<sup>th</sup> Hickory & Sassafras.

North Between Secs. 33 & 34, T9 N. R2 E.

20.90 a W. Oak 26 in. dia. in the line  
 40.00 Set the q<sup>r</sup>. Sec. post, from which. March 3<sup>d</sup>. 1820  
 a Beech 14 in. dia. brang S28 E30 lbs. dist. of  
 a W. Oak 10 " " " N56 W13 " "  
 50.25 a W. Oak 9 " " in the line  
 80.00 Set a post Cor. to Secs. 27, 28, 33 & 34, from which  
 a W. Oak 18 in. dia. brang S48 E33 lbs. dist. of  
 a Hickory 11 " " " N55 W9 " "  
 Land hilly & poor, timber W & B. Oak, Hick. &  
 Beech, underg<sup>th</sup> W. Oak, Dogwood & Ironwood

West On Random between Secs. 28 & 33, T9 N. R2 E.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

Comb.

T9 N R2 E. 2<sup>d</sup> Mer. Indiana

45.00 a Stream 130 lks. wide Cr. S 20 W

52.00 a Brook 12 lks. " " S 5 E.

80.00 Intersected the N & S. line 12 lks. N. of Corner  
Land uneven & 2<sup>d</sup> rate, timber W. Oak, Sugar,  
Beech &c. underg<sup>d</sup>. Dogwood, Ironwood & Spice

East On true line between Sec. 28 &amp; 33, T9 N. R2 E.

40.00 Let q. Sec. post at average dist. from which  
a Beech 8 in. dia. bear S 89 W 13 lks. dist. of  
a Do 14 " " " N 83 E 24 " "

80.00 to Sec. Corner.

North Between Sec. 27 &amp; 28, T9. R2 E.

18.50 a W. Oak 20 in. dia. in the line

40.00 Let the q. Sec. post, from which  
a W. Walnut 48 in. dia. bear S 80 W 16 lks. dist. of  
an Elm 7 " " " N 59 E 47. "

41.00 a Stream 130 lks. wide Cr. S 50 W

76.00 a Brook 25 lks. " " S 10 E

80.00 Let a post Cor. to Sec. 21, 22, 27 & 28, from which  
a Walnut 12 in. dia. bear S 66 E 12 lks. dist. of  
an Elm 4 " " " N 45 W 47 " "Land hilly & poor, timber W & B. Oak & Hickory  
underg<sup>d</sup>. Dogwood, Ironwood & W. Oak

West On Random between Sec. 21 &amp; 28, T9 N. R2 E.

4.50 a Brook 25 lks. wide Cr. S 15 E.

40.00 Let temp. q. Sec. post

78.00 a Brook 10 lks. wide Cr. S 10 E.

80.00 Intersected the N & S. line 15 lks. N. of the Corner.  
Land hilly & poor & thickety, timber W & B. Oak &  
Hickory, underg<sup>d</sup>. Ironwood, Dogwood & Sassafras

T9 N. R2 E. 3<sup>rd</sup> Mer Indiana

East On true line between Secs. 21 & 28, T9 N. R2 E.  
 40.00 Set the q. Sec. post at average dist. from which  
 a Hickory 11 m. dist. bear N 37 E 16 lks. dist. of  
 a Do 14 " " " S 40 W 40 " "  
 80.00 to Sec. Corner.

---

North Between Secs. 21 & 22, T9 N. R2 E.  
 17.00 a W. Oak 10 m. dist. in the line  
 40.00 Set the q. Sec. post, from which  
 a P. Oak 26 m. dist. bear N 40 E 35 lks. dist. of  
 a W. Oak 28 " " " S 5 E 46 " "  
 44.00 a Brook 10 lks. wide S 80 E  
 73.25 a W. Oak 15 m. dist. in the line  
 80.00 Set a post Cor. to Secs. 15, 16, 21 & 22, from which  
 a W. Oak 26 m. dist. bear S 74 E 7 lks. dist. of  
 a Do 12 " " " N 74 W 62 " "  
 Sand hilly & poor timber W. Oak & Hickory  
 under the Ironwood & Hickory

---

West On Random between 16 & 21, T9 N. R2 E  
 7.50 a Brook 12 lks. wide Cr. S 5 W  
 40.00 Set temp. q. Sec. post  
 59.00 a Brook 20 lks. wide run South  
 80.00 Intersected the N & S. line 135 lks. N. of Corner  
 Sand timber &c. same as on the last mile

---

East On true line between Secs. 16 & 21, T9 N. R2 E.  
 40.00 Set q. Sec. post at average dist. from which  
 a W. Oak 9 m. dist. bear S 75 W 26 lks. dist. of  
 a Hickory 20 " " " N 49 E 14 " "  
 80.00 to Sec. Corner March 4<sup>th</sup> 1820

---

North Between Secs. 15 & 16, T9 N. R2 E.



T9 N R2 E. 2<sup>d</sup> Mer. Indiana

- 12.35 a Brook 12 lks. wide S30 W.  
 16.20 a Hickory 15 in. dia. in the line  
 40.00 Set the q. Sec. post, from which  
     a W. Oak 9 in. dia. bear N5 W 46 lks. dist. of  
     a Do 8 " " " S1 W 38 " "  
 57.50 a Poplar 28 " " in the line  
 80.00 Set a post Cor. to Sec. 9, 10, 15 & 16, from which  
     a Chestnut Oak 13 in. dia. N30 W 50 lks. dist. of  
     a Do 15 " " S48 E 29 " "  
 Land hilly & poor, timber W. Oak, Hickory  
 under W. Oak & Ironwood.

- West On Random between Sec. 9 & 16, T9 N. R2 E.  
 18.00 a Brook 10 lks. wide run South  
 40.00 Set temp. q. Sec. post  
 59.00 a Brook 10 lks. wide S10 W.  
 80.00 Intersected the West boundary 24 lks. S. of Corner  
 Land timber &c. same as on the last mile

- East On true line between Sec. 9 & 16, T9 N. R2 E.  
 40.00 Set q. Sec. post at average dist. from which  
     a Elm 18 in. dia. bear N10 E 47 lks. dist. of  
     a Poplar 8 " " " S15 E 48 " "  
 80.00 to Sec. Corner

- North Between Sec. 9 & 10, T9 N. R2 E.  
 21.62 a Sugar 12 in. dia. bear in the line  
 40.00 Set the q. Sec. post, from which  
     a Beech 28 in. dia. bear S41 E 51 lks. dist. of  
     a Sugar 11 " " " S4 E 53 " "  
 53.60 a Hickory 18 " " in the line  
 80.00 Set a post Cor. to Sec. 3, 4, 9 & 10, from which  
     a Hickory 16 in. dia. bear N29 W 25 lks. dist. of



T9 N. R2 E. 2.<sup>nd</sup> Mer. Indiana

a Gum 18 in. dia. bear S20 W 11 lks. dist. of  
 Sand hilly & poor, timber W. B. Oak and  
 Hickory, underg<sup>th</sup> Ironwood &c

West On Random between Secs. 4 & 9, T9 N. R2 E.

40.00 Set temp<sup>y</sup> of Sec. post

80.00 Intersected the N & S. line 54 lks. N. of Corner  
 Sand timber &c. Same as on the last mile

East On true line between Secs. 4 & 9, T9 N. R2 E.

40.00 Set the of Sec. post average dist. from which  
 a Gum 12 in. dia. bear N44 E 28 lks. dist. of  
 a Sugar 11 " " " N87 W 38 " "

80.00 to Sec. Cor.

North Between Secs. 3 & 4, T9 N. R2 E. 2.<sup>nd</sup> Mer.

16.00 a B. Oak 30 in. dia. in the line

40.00 Set the of Sec. post, from which  
 a W. Oak 15 in. dia. bear N20 W 79 lks. dist. of

52.80 a Brook 6 lks. wide N50 E

53.40 a W. Oak 26 in. dia. in the line

65.00 Intersected the N. boundary 37 lks. E. of of

Sec. Corner at the South Side of Sec. 34,

Set a post Cor. to Secs. 3 & 4, from which

a Beech 10 in. dia. bear S72 E 21 lks. dist. of

a Sugar 10 " " " N29 W 19 " "

Sand hilly & poor, timber W. B. Oak, Hickory  
 & Beech, underg<sup>th</sup> Ironwood & Sassafras

North Between Secs. 34 & 35, T9 N. R2 E. March 6<sup>th</sup> 1820

19.20 a Chestnut Oak 20 in. dia. in the line

40.00 Set the of Sec. post, from which

a W. Oak 11 in. dia. bear S48 E 11 lks. dist.

# T9. N. R2 E. 2<sup>d</sup>. Mer. Indiana

a W. Oak 14 in. diam. bran N48 W 3 lks. dist.  
 60.15 a W. Oak 12 " " in the line  
 80.00 Set a post Cor. to Secs. 26, 27, 34 & 35, from which  
 a Chestnut Oak 16 in. diam. bran N49 W 27 lks. dist. of  
 a Gum 13 " " " S37 E 29 " "  
 Land hilly & poor, timber W. Oak, & Gum,  
 underg<sup>d</sup> W. Oak & Hickory & Ironwood

West On Random between Secs. 27 & 34, T9. N. R2 E.  
 40.00 Set temp<sup>y</sup>. of Sec. post  
 80.00 Intersected the N & S. line 60 lks. S. of corner.  
 Land, timber &c. same as on the last mile

East On true line between Secs. 27 & 34, T9. N. R2 E.  
 40.00 Set of Sec. post at average dist. from which  
 a Beech 7 in. diam. bran N21 E 23 lks. dist. of  
 a Do 11 " " " S25 W 11 " "  
 80.00 to Sec. corner.

North Between Secs. 26 & 27, T9. N. R2 E.  
 14.05 a W. Oak 20 in. diam. in the line  
 19.07 a Brook 8 lks. wide N60 W  
 40.00 Set the of Sec. post, from which  
 a W. Oak 16 in. diam. bran — 14 lks. dist. of  
 a Do 18 " " " N45 E 10 " "  
 55.64 a Gum 11 in. diam. in the line  
 72.00 a Stream 130 lks. wide Cr. S85 W  
 78.50 a Brook 25 lks. " " S50 W  
 80.00 Set a post Cor to Secs. 22, 23, 26 & 27, from which  
 an Ash 15 in. diam. bran S30 W 20 lks. dist. of  
 a Beech 12 " " " N34 E 25 " "  
 Land timber &c. same as on the last mile

T9 N - R2 E, 2<sup>d</sup> Mer. Indiana

West On Random between Sec. 22 & 27, T9 N. R2 E.  
 40.00 Set the q. Sec. post temporarily  
 79.50 a Brook 8 lks. wide runs South  
 80.00 Intersected the N & S. line - lks. - of the cor.  
 Land hilly & poor & stony, timber W. Oak  
 & Hickory, underg<sup>th</sup> W. Oak & Ironwood

---

East On true line between Sec. 22 & 27, T9 N. R2 E.  
 40.00 Set q. Sec. post at average dist. from which  
 a Beech 8 in. dia. bran S 81 E 27 lks. dist. &  
 a Do 11 " " " S 76 W 17 " "  
 80.00 to Sec. Corner. March 7<sup>th</sup> 1820

---

North Between Sec. 22 & 23, T9 N. R2 E.  
 23.40 a W. Oak 15 in. dia. in the line  
 40.00 Set the q. Sec. post, from which  
 a Hickory - in. dia. bran S 78 W 10 lks. dist. &  
 an Ironwood 4 " " " S 76 E 19 " "  
 53.00 a Brook 8 lks. wide S 50 E  
 64.18 a W. Oak 14 in dia. in the line  
 80.00 Set a post Cor. to Sec. 14, 15, 22 & 23, from which  
 a W. Oak 15 in. dia. bran S 72 E 16 lks. dist. &  
 a Poplar 7 " " " S 82 W 31 " "  
 Land hilly & poor, timber W. Oak & Hickory  
 underg<sup>th</sup> Ironwood & Dogwood

---

West On Random between Sec. 15 & 22, T9 N. R2 E.  
 20.00 a Brook 8 lks. wide S 15 E  
 40.00 Set temp. q. Sec. post  
 80.00 Intersected the N & S. line 52 lks. S. of Corner.  
 Land timber &c. same as on the last mile

---

East On true line between Sec. 15 & 22, T9 N. R2 E.

T9 N R2 E. 2<sup>d</sup> Mer. Indiana

40.00 At q. Sec. post at average dist. from which  
 a Hickory 15 in. diam. bran S32E 37 lks. dist. of  
 a W. Oak 13 " " " N32W 10 " "  
 80.00 to Sec. Corner.

North Between Secs. 14 & 15, T9 N R2 E.

30.90 a W. Oak 26 in. diam. in the line

40.00 At the q. Sec. post, from which  
 a W. Oak 12 in. diam. bran S27E 15 lks. dist. of  
 a W. Oak 9 " " " N10W 25 " "

49.50 a Hickory 14 " " in the line

57.20 a Brook 15 lks. wide S30E.

80.00 At a post Cor. to Secs. 10, 11, 14 & 15, from which  
 a W. Oak 12 in. diam. bran S40E 14 lks. dist. of  
 a Do 12 " " " N21W 32 " "  
 Land hilly & poor, timber W. Oak, Hickory  
 underg<sup>d</sup>. Ironwood & Logwood.

West On Random between Secs. 10 & 15, T9 N R2 E.

21.50 a Brook 12 lks. wide S30E.

40.00 At temp<sup>y</sup> q. Sec. post

80.00 Intersected the N & S. line 12 lks. S. of Corner.  
 Land hilly & poor, timber W. Oak, Ches. Oak, &  
 Hickory, underg<sup>d</sup>. W. Oak, Hickory & Ironwood

East On true line between Secs. 10 & 15, T9 N R2 E.

40.00 At q. Sec. post at average dist. from which  
 a R. Oak 36 in. diam. bran N59W 19 lks. dist. of  
 a Gum 10 " " " S60E 36 " "

80.00 to Sec. Corner. March 8<sup>th</sup> 1820

North Between Secs. 10 & 11, T9 N R2 E.

25.25 a W. Oak 24 in. diam. in the line



T9 N. R2 E. 2<sup>d</sup> Mer. Indiana

- 40.00 At the q. Sec. post, from which  
 a W. Oak 9 in. dia. bran S 71° 3' W 3 lks. dist. of  
 a Do 12 " " " N 29° E 33 " "
- 52.20 a W. Oak 12 " " in the line
- 65.00 a Brook 10 lks. wide S 20° E
- 70.00 Same 10 " " S 35° W
- 75.50 Same 10 " " S 25° E.
- 80.00 At a post Cor. to Secs. 2, 3, 10 & 11, from which  
 a W. Oak 6 in. dia. bran S 1° 31' W 3 lks. dist. of  
 a Do 16 " " " N 26° W 29 " "
- Land hilly & poor, timber W. & B. Oak & Hickory.  
 Undergrowth: Ironwood, Hickory & Sassafras

## West On Random between Secs. 3 &amp; 10

- 4.70 a Brook 10 lks. wide S 30° E.
- 40.00 At temp. q. Sec. post
- 80.00 Intersected the N & S. line 47 lks. S. of Corner.  
 Land, timber &c. Same as on the last mile

## East On the true line between Secs. 3 &amp; 10

- 40.00 At the q. Sec. post at a? dist. from which  
 a Gum 12 in. dia. bran S 81° 11' 35 lks. dist. of  
 a B. Oak 36 " " " N 87° E 35 " "
- 80.00 to Sec. Corner.

North between Secs. 2 & 3, T9 N. R2 E. 2<sup>d</sup> Mer.

- 10.85 a W. Oak 18 in. dia. in the line
- 35.00 a Brook 6 lks. wide S 50° W
- 40.00 At the q. Sec. post, from which  
 a W. Oak 10 in. dia. bran N 73° E 35 lks. dist. of  
 a Do 9 " " " S 89° W 21 " "
- 59.40 a W. Oak 14 " " in the line
- 67.50 Intersected the N. boundary 23 lks. E. of q.

T9 N R2 E, 2<sup>d</sup>. Mer. Indiana

Sec. post at the S. side of Sec. 35, T9 N, R2 E  
 Set a post Cor. to Sec. 2 of 3, from which  
 a Beech 15 in. dia. bray N47 W 32 lks. dist. of  
 a C. Oak 24 " " " S88 E 32 " "  
 Sand hilly & poor timber N. Oak & Hickory  
 underg<sup>th</sup> N. Oak, Hickory & Ironwood.

North Between Sec. 35 & 36, T9 N, R2 E  
 18.20 a W. Oak 20 in. dia. in the line. March 9, 1820  
 40.00 Set the q. Sec. post, from which  
 a C. Oak 14 in. dia. bray N10 E 18 lks. dist. of  
 a do 16 " " " N1 E 38 " "  
 80.00 Set a post Cor. to Sec. 25, 26, 35 & 36, from which  
 a W. Oak 14 in. dia. bray N56 E 28 lks. dist. of  
 a Gum 6 " " " S52 W 19 " "  
 Sand timber &c. Same as on the last mile

West On Random between Sec. 26 & 35, T9 N, R2 E.  
 40.00 Set temp<sup>y</sup>. q. Sec. post  
 80.00 Intersected the N & S. line 92 lks. S. of Corner.  
 Sand timber &c. Same as on the last mile

East On true line between Sec. 26 & 35, T9 N, R2 E.  
 40.00 Set the q. Sec. post at a q. dist. from which  
 a W. Oak 16 in. dia. bray N29 W 48 lks. dist. of  
 a C. Oak 12 " " " S35 E 71 " "  
 80.00 to Sec. Corner.

East Between Sec. 25 & 36, T9 N, R2 E.  
 21.00 a W. Oak 14 in. dia. in the line  
 24.00 a Brook 15 lks. wide N10 W.  
 33.10 Intersected the E. boundary 42 lks. N. of  
 Corner. Set a post Cor. to Sec. 25 & 36, from which

T9 N - R2 E 2<sup>nd</sup> Mer. Indiana.

a W. Oak 15 in. diam. bear S22W 20 lks. dist. of  
 a No 15 " " " N8E 28 " "  
 Land hilly & poor, timber W & C. Oak & Hickory  
 undergrowth Ironwood & Dogwood

North Between Sect. 25 & 26, T9 N. R2 E.

13.30 a W. Oak 20 in. diam. in the line

28.00 a Brook 20 lks. wide N5W.

40.00 at the q. Sec. post, from which

a Hickory 15 in. diam. bear S31E 52 lks. dist. of

a C. Oak 30 " " " N20W 10 " "

50.00 a Brook 25 lks. wide S60W

54.00 a W. Oak 26 in. diam. in the line

80.00 at a post cor. to Sect. 23, 24, 25, & 26, from which

a Sugar 9 in. diam. bear S46E 20 lks. dist. of

a Beech 5 " " " N70W 11 " "

Land timber &c. same as on the last mile

West On Random between Sect. 23 & 26, T9 N. R2 E.

34.50 a Stream 130 lks. wide S20W

40.00 at temp. q. Sec. post

78.00 a Brook 30 lks. wide S20W.

79.62 Intersected the N & S. line at the Sec. Corner.

Land hilly & poor timber W & C. Oak, Hickory &  
 Beech, underg. Ironwood & Dogwood

East On true line between Sect. 23 & 26, T9 N. R2 E.

39.81 at q. Sec. post at average dist. from which

a Beech 10 in. diam. bear N45W 25 lks. dist. of

a No 7 " " " S38E 12 " "

79.62 to Sec. Corner.

East Between Sect. 24 & 25, T9 N. R2 E

T9 N R2 E, 2<sup>d</sup> Mer. Indiana

- 20.00 a W. Oak 26 in. dia. in the line  
 34.00 Intersected the E. boundary 46. lks. N. of Corner  
 Set a post cor. to Secs. 24 & 25, from which  
 a Beech 10 in. dia. bear N 85 W 54 lks. dist. of  
 a W. Oak 16 " " " N 89 E 27 " "  
 Land timber &c. same as on the last mile

March 10<sup>th</sup> 1820

North Between Secs. 23 &amp; 24, T9 N, R2 E.

- 17.60 a Beech 10 in. dia. in the line  
 21.50 a stream 130 lks. wide runs West  
 40.00 Set the q. Sec. post, from which  
 a Beech 5 in. dia. bear S 55 W 14 lks. dist. of  
 a Sugar 9 " " " N 49 E 2 " "  
 51.70 a Beech 10 " " in the line  
 75.00 a Brook 8 lks. wide S 40 E.  
 80.00 Set a post cor. to Secs. 13, 14, 23 & 24, from which  
 a W. Oak 10 in. dia. bear N 58 E. 61 lks. dist. of  
 a Do 10 " " " S 36 W 14 " "  
 Land timber &c. same as on the last mile

West On Random between 14 &amp; 23, T9 N, R2 E.

- 2.00 a Brook 8 lks. wide S 20 E  
 40.00 Set temp. q. Sec. post  
 66.50 a Brook 30 lks. wide runs South  
 79.70 Intersected the N & S line 56 lks. N. of Corner  
 Land hilly & poor, timber W. Oak, hickory & Gum  
 underg. <sup>th</sup> Hornwood, Hickory & Dogwood

East On true line between Secs. 14 &amp; 23, T9 N, R2 E.

- 39.85 Set q. Sec. post at average dist. from which  
 a W. Oak 10 in. dia. bear S 70 W 47 lks. dist. of  
 a Do 24 " " " N 73 E 41 " "



T9 N. R2 E. 2<sup>d</sup> Mer. Indiana

79.70 to Sec. Corner.

---

East Between Secs. 13 & 24, T9 N. R2 E.  
 12.33 a Hickory 13 in. dia. in the line  
 31.50 a Brook 12 lks. wide runs South  
 34.80 Intersected the E. boundary at the corner  
 Land hilly & poor, timber W. Oak & Hickory  
 under Hickory, W. Oak & Hornwood.

---

North Between Secs. 13 & 14, T9 N. R2 E.  
 20.56 a W. Oak 13 in. dia. in the line  
 40.00 Set the q<sup>r</sup>. Sec. post, from which  
 a Sugar 9 in. dia. bears S37 E 41 lks. dist. of  
 a W. Oak 12 " " " N13 W 39 " "  
 52.80 a W. Oak 12 " " in the line  
 80.00 Set a post Cor. to Secs. 11, 12, 13 & 14, from which  
 a Hickory 6 in. dia. bears N5 E 8 lks. dist. of  
 a Do 4 " " " S20 W 13 " "  
 Land timber &c. same as on the last mile

---

West On Random between Secs. 11 & 14, T9 N. R2 E.  
 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 42.50 a Brook 6 lks. wide S60 W  
 65.00 a Do 25 lks. " runs South  
 79.68 Intersected the N & S. line 44 lks. N. of the corner.  
 Land, timber &c. same as on the last mile.

---

East On true line between Secs. 11 & 14, T9 N. R2 E.  
 39.84 Set q<sup>r</sup>. Sec. post at average dist. from which  
 a W. Oak 10 in. dia. bears S72 E 42 lks. dist. of  
 a Do 10 " " " N71 W 37 " "  
 79.68 to Sec. Corner

---

T9 N - R2 E. 2<sup>d</sup> Mer. Indiana

East Between Secs. 12 &amp; 13, T9 N. R2 E.

24.50 a Hickory 16 in. diam. in the line

37.00 Intersected <sup>the E. boundary</sup> 150 lks. South of the Corner. Set a post Cor. to Secs. 12 & 13, from which

a Beech 8 in. diam. bears N38 E 29 lks. dist. &amp;

a B. Oak 7 " " " N6 E 12 " "

Land hilly & poor, timber W. Oak & Hickory  
underg<sup>d</sup> W. Oak, Hickory & IronwoodMarch 11<sup>th</sup> 1820

North Between Secs. 11 &amp; 12, T9 N. R2 E.

22.95 a Chestnut Oak 10 in. diam. in the line

40.00 Set the q. Sec. post, from which

a Chest. Oak 9 in. diam. bears N42 W 28 lks. dist. &amp;

a Do 9 " " " N65 E 13 " "

50.95 a Chest. Oak 20 " " in the line

80.00 Set a post Cor. to Secs. 1, 2, 11 &amp; 12, from which

a W. Oak 15 in. diam. bears N74 W 23 lks. dist. &amp;

a Beech 6 " " " N34 E 20 " "

Land timber &amp;c. same as on the last mile

West On Random between Secs. 2 &amp; 11, T9 N. R2 E

11.70 a Brook 8 lks. wide S70 W

27.50 a Do 10 lks. " S10 W

40.00 Set temp<sup>y</sup> q. Sec. post

79.90 Intersected the N &amp; S. line 62 lks. S. of Corner.

Land hilly & poor, timber W. Oak & Hickory  
underg<sup>d</sup> W. Oak, Hickory & Ironwood

East On true line between Secs. 2 &amp; 11, T9 N. R2 E.

39.95 Set q. Sec. post at average dist. from which

a W. Oak 16 in. diam. bears N58 E 55 lks. dist. &amp;

a Do 26 " " " S62 W 32 " "

## T9N. R2E. 2E. Mer. Indiana

79.90 to Sec. Corner.

---

East between Sec. 1 & 12, T9N. R2E.  
 13.30 a P. Oak 26 in. dia. in the line  
 38.60 Intersected the E. boundary 210 lks. S. of Cor.  
 Set a post Cor. to Sec. 1 & 12, from which  
 a Sugar 13 in. dia. bears S12W 48 lks. dist. of  
 a Hickory 12 " " " N28E 10 " "  
 Land hilly and poor, timber W & C. Oak, and  
 undergrowth same with Hickory.

---

North Between Sec. 1 & 2, T9N. R2E.  
 3.00 a Brook 6 lks. wide S20W  
 18.30 a W. Oak 14 in. dia. in the line  
 40.00 Set the 9<sup>th</sup> Sec. post from which  
 a W. Oak 26 in. dia. bears N69W 36 lks. dist. of  
 a P. Oak 30 " " " South 50 " "  
 47.85 a W. Oak 26 " " in the line  
 70.00 Intersected the N. boundary 66 lks. East of 9<sup>th</sup>  
 Sec. post at the South Side of Sec 36, T10N,  
 R2E, Set a post Cor. to Sec. 1 & 2, from which  
 a Sugar 9 in. dia. bears S12W 29 lks. dist. of  
 a Beech 10 " " " N41W 10 " "  
 Land hilly & poor, timber W & C. Oak & Gum  
 undergrowth W. Oak and Ironwood.  
 Surveyed by James Hedger, Dep. Surveyor

---

Compd

Certify that the foregoing transcript of field notes of  
Township N. 9 North, Range N. 2 E. 2. Mer. Indiana  
has been Comp. with the original notes in this Office and  
found to be Correct.

Surveyor General's Office  
Cincinnati, March 4. 1845

E. P. Cairnes  
Sur. Genl.